Agenda

Outline of Todays Tutorial

- We encourage you to use modern libraries and tools
 - Docker for deployment
 - ir_datasets for data wrangling
 - PyTerrier for declarative retrieval pipelines

Agenda:

- Project Tutorial
- Docker Tutorial
- □ Outlook + We can create the first submissions together

Agenda

Outline of Todays Tutorial

- We encourage you to use modern libraries and tools
 - Docker for deployment
 - ir_datasets for data wrangling
 - PyTerrier for declarative retrieval pipelines

Agenda:

- Project Tutorial
- Docker Tutorial
- Outlook + We can create the first submissions together

Collect preferences:

- How much focus on:
 - Docker (higher technical expertise needed)
 - Dev-Container (medium technical expertise needed)
 - Codespaces (low technical expertise needed)

Project Tutorial

Evaluation and Prototyping with TIRA

You will use TIRA.io for prototyping and the evaluation of the search engines.



Project Tutorial

Evaluation and Prototyping with TIRA

You will use TIRA.io for prototyping and the evaluation of the search engines.



Procedure:

- 1. Implement Docker images to handle data access and retrieval
- 2. Upload image to dedicated image registry in TIRA
- 3. Everything is executed in a Kubernetes cluster

Project Tutorial Tutorial

https://www.tira.io/task-overview/ir-lab-sose-2024

- □ Requirements: You need an Github and TIRA.io account
- Overview
 - You develop your system on the training and/or the validation data
 - The developed system(s) are then submitted to the leaderboard

Project Tutorial Tutorial


https://www.tira.io/task-overview/ir-lab-sose-2024

- □ Requirements: You need an Github and TIRA.io account
- Overview
 - You develop your system on the training and/or the validation data
 - The developed system(s) are then submitted to the leaderboard

Step-by-Step Guide

- Step 1: Develop your System(s) on the training data (we will use a BM25 baseline in the following)
- □ Step 2: Connect your TIRA account to your git repository
- □ Step 3: Upload your Code
- □ Step 4: Build your Docker image via Github Actions
- □ Step 5: Execute your Approach in TIRA

Docker Tutorial Docker Basics




- □ Goal: If you can start/stop your jupyter notebook everything is fine
- https://docs.docker.com/get-docker/
- We will provide all required commands

Use Cases for Docker

- Run guest systems as containers
- Shipping and running micro services as portable images
- Exploring and experimenting with new technologies
- □ Encapsulation mechanism to deploy applications in parallel without conflicts

Virtual Machines vs Docker



Example Docker Commands

- Visit hub.docker.com
- □ We use the bash and webis/tira-ir-starter-pyterrier:0.0.4-base images

Example Docker Commands

- Visit hub.docker.com
- □ We use the bash and webis/tira-ir-starter-pyterrier:0.0.4-base images

Bash Image

```
docker run --rm -ti bash
```

- □ --rm: Remove container after completion
- □ -ti: Attach stdin and stdout
- □ ToDo: Run above comand without -ti. What happens?
- ToDo: Write text to some file, restart the container. What happens?

Example Docker Commands

- Visit hub.docker.com
- □ We use the bash and webis/tira-ir-starter-pyterrier:0.0.4-base images

Bash Image

```
docker run --rm -ti bash
```

- □ --rm: Remove container after completion
- $\hfill\square$ -ti: Attach stdin and stdout
- □ ToDo: Run above comand without -ti. What happens?
- ToDo: Write text to some file, restart the container. What happens?

Bash Image With Volume Mounts

```
docker run --rm -ti -v $PWD:/bla bash
```

- -v <HOST_PATH>:<CONTAINER_PATH>: Mount the directory <HOST_PATH> on the system to the directory <CONTAINER_PATH> within the container
- □ ToDo: Write text to some file so that it is persistent.

Jupyter Notebook and PyTerrier Pipelines with Docker

 We have preprared a Docker image with all reasonable libraries/frameworks preinstalled

```
docker run --rm -ti -p 8888:8888 \
-v $PWD:/workspace/ \
webis/tira-ir-starter-pyterrier:0.0.4-base \
jupyter notebook --allow-root --ip 0.0.0.0
```

- -p <HOST_PORT>:<CONTAINER_PORT>: Map port <HOST_PORT> on the system to the port <CONTAINER_PORT> within the container
- jupyter notebook --allow-root --ip 0.0.0.0: The command executed in the container. This command starts a Jupyter notebook.
- □ ToDo: Play around with Python in the notebook for a few minutes

Now We repeat this with Dev-Containers in VS Code

If we have time, we can see the same steps in a Dev-Container.

Outlook

We hopefully can make a set of IR-Components available in two weeks

See: https://www.tira.io/tirex/components